

FORM PTO-1449

U.S. DEPARTMENT OF
COMMERCE
PATENT AND TRADEMARK
OFFICE

(Rev. 2-32)

Information Disclosure
Statement by Applicant

(Use several sheets if necessary)

ATTY. DOCKET NO.

QDI-105US3

SERIAL NO

10/087,579

APPLICANT

Rod Miller, et al

FILING DATE

February 28, 2002

GROUP

3761 3763

U.S. PATENT DOCUMENTS

| Exmr Initial | Document Number | Date | Name | Class | Sub Class | Filing Date |
|-----------------|--------------------|------------|------------------|-------|--------------|----------------|
| SS | 4,473,530 | 1984-09-25 | Villa-Real | | | |
| | 3,982,898 | 1976-09-28 | McDonald | | | |
| | 4,700,714 | 1987-10-20 | Fuisz | | | |
| | 4,361,537 | 1982-11-30 | Deutsch et al. | | | |
| | 5,976,895 | 1999-11 | Ciplowski | | | |
| | 5,429,804 | 1995-07 | Sayles | | | |
| | 5,119,830 | 1992-05 | Davis | | | |
| | 5,403,551 | 1995-07 | Galloway, et al. | | | |

FOREIGN PATENT DOCUMENTS

| Exmr Initial | Document Number | Date | Country | Class | Sub Class | Translation YES NO |
|-----------------|--------------------|------------|---------|-------|--------------|-------------------------|
| SS | 1 574 864 A | 1980-09-10 | GB | | | |
| | WO 00/46598 | 2000-08-10 | PCT | | | |
| | WO 98/38917 | 1998-09-11 | PCT | | | |
| | EP 0 908 724 | 1999-04-14 | EPO | | | |

OTHER DOCUMENTS

(Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|----|----|--|
| SS | 1. | Warren, Gorham & Lamont, "On-Site Drug Tests Evaluated," Substance Abuse Report, ISSN 1040-4163, Volume XXX, Number 6, March 15, 1999. |
| | 2. | Ultrak, BC460 1/3" Black & White Board Camera on sale June 1, 1995. |
| | 3. | Escreen™ Automated Point of Service System, SmithKline Beecham Clinical Laboratories Automation Lab |
| | 4. | BioScan Screening Systems, Inc., "Rapid Drug Screen" |
| | 5. | BioScan Screening Systems, Inc., "AdultaCheck™ 4" |
| | 6. | SUR-SCAN, "The Rapid Drug Screen™" (1999) |
| | 7. | International Search Report for International Application No. PCT/US00/10963 dated October 9, 2000. |

Examiner

Date Considered

2/27/06

Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.